ELSEVIER

Neuroscience Letters 287 (2000) 244–246

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 287

Volume 287, no. 1

Guidelines for the submission of manuscripts v

Redox factor-1 in muscle biopsies of patients with inclusion-body myositis
A. Broccolini, W.K. Engel, R.B. Alvarez, V. Askanas (USA) 1

Modulation of epileptiform discharges in the rat limbic system in vitro by noradrenergic agents
R. Stoop, S. Epiney, E. Meier, E. Pralong (Switzerland) 5

Electroacupuncture potentiates the antinociceptive effect of intrathecal endomorphin-1 in the rat formalin test
S. Hao, O. Takahata, H. Iwasaki (Japan) 9

Impairment of motor imagery in putamen lesions in humans
C.-s.R. Li (Taiwan) 13

Activation of nuclear factor-kB in the spinal cord of experimental allergic encephalomyelitis
K. Pahan, M. Schmid (USA) 17

Changes in electrophysiological properties of tibial motoneurones in the rat following 4 weeks of tetrodotoxin-induced paralysis
B. Cormery, J.F. Marini, P.F. Gardiner (Canada, France) 21

The leucine (7)-to-proline (7) polymorphism in the signal peptide of neuropeptide Y is not associated with Alzheimer's disease or the link apolipoprotein E
S. Helisalmi, R. Valve, M.K. Karvonen, M. Hiltunen, M. Pirskanen, A. Mannermaa, M. Koulu, U. Pesonen, M. Uusitupa, H. Soininen (Finland) 25

Optical recording of spatiotemporal activation of rat somatosensory and visual cortex in vitro
S.S. Haupt (Japan) 29

Prostaglandin E_2-mediated sensitization of rat sensory neurons is not altered by nerve growth factor
M.D. Southall, M.R. Vasko (USA) 33

Lasting influence of repetitive transcranial magnetic stimulation on intracortical excitability in human subjects
T. Wu, M. Sommer, F. Tergau, W. Paulus (Germany) 37

Effect of noradrenergic denervation of the amygdala upon recovery after sleep deprivation in the rat
C. Charifi, L. Paut-Pagano, G. Debilly, R. Cespuglio, M. Jouvet, J.-L. Valatx (France) 41

Ginsenosides inhibit capsaicin-activated channel in rat sensory neurons
J. Hahn, S.Y. Nah, J.-J. Nah, D.-Y. Uhm, S. Chung (South Korea) 45

Motion sickness occurrence does not correlate with nystagmus characteristics
G. Quarck, O. Etard, M. Oreel, P. Denise (France) 49

Voltage- and γ-aminobutyric acid-activated membrane currents in the human medulloblastoma cell line MHH-MED-3
C. Codina, R. Kraft, T. Pietsch, M. Prinz, C. Steinhäuser, J. Cervós-Navarro, S. Patt (Germany, Switzerland, Spain) 53

Neomycin blocks substance P-induced calcium entry in cultured rat spinal cord neurons
Z.-S. Zhou, Y.-S. Shu, Z.-Q. Zhao (People's Republic of China) 57

Experimentally induced attenuation of neuropeptide-Y gene expression in transgenic mice increases mortality rate following seizures
S. DePrato Primeaux, P.V. Holmes, R.J. Martin, R.G. Dean, G.L. Edwards (USA) 61

Full length α-synuclein is present in cerebrospinal fluid from Parkinson's disease and normal subjects
R. Borghi, R. Marchese, A. Negro, L. Marinelli, G. Forloni, D. Zaccheo, G. Abbruzzese, M. Tabaton (Italy) 65

Spatial working memory performance after high-frequency repetitive transcranial magnetic stimulation of the left and right posterior parietal cortex in humans
R.P.C. Kessels, A.A.L. d'Alfonso, A. Postma, E.H.F. de Haan (The Netherlands) 68

Co-distribution of NK2 tachykinin receptors and Substance P in nerve endings of guinea-pig ileum
M.-G. Vannucchi, L. Corsani, M.-S. Faussone-Pellegrini (Italy) 71

Influence of cognitive strategies on the pattern of cortical activation during mental subtraction. A functional imaging study in human subjects
P. Burbaud, O. Camus, D. Guehl, B. Bioulac, J.-M. Caillé, M.V. Allard (France) 76

ELSEVIER

Neuroscience Letters 287 (2000) 244–246

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 287

Volume 287, no. 1

Guidelines for the submission of manuscripts v

Redox factor-1 in muscle biopsies of patients with inclusion-body myositis
A. Broccolini, W.K. Engel, R.B. Alvarez, V. Askanas (USA) 1

Modulation of epileptiform discharges in the rat limbic system in vitro by noradrenergic agents
R. Stoop, S. Epiney, E. Meier, E. Pralong (Switzerland) 5

Electroacupuncture potentiates the antinociceptive effect of intrathecal endomorphin-1 in the rat formalin test
S. Hao, O. Takahata, H. Iwasaki (Japan) 9

Impairment of motor imagery in putamen lesions in humans
C.-s.R. Li (Taiwan) 13

Activation of nuclear factor-kB in the spinal cord of experimental allergic encephalomyelitis
K. Pahan, M. Schmid (USA) 17

Changes in electrophysiological properties of tibial motoneurones in the rat following 4 weeks of tetrodotoxin-induced paralysis
B. Cormery, J.F. Marini, P.F. Gardiner (Canada, France) 21

The leucine (7)-to-proline (7) polymorphism in the signal peptide of neuropeptide Y is not associated with Alzheimer's disease or the link apolipoprotein E
S. Helisalmi, R. Valve, M.K. Karvonen, M. Hiltunen, M. Pirskanen, A. Mannermaa, M. Koulu, U. Pesonen, M. Uusitupa, H. Soininen (Finland) 25

Optical recording of spatiotemporal activation of rat somatosensory and visual cortex in vitro
S.S. Haupt (Japan) 29

Prostaglandin E_2-mediated sensitization of rat sensory neurons is not altered by nerve growth factor
M.D. Southall, M.R. Vasko (USA) 33

Lasting influence of repetitive transcranial magnetic stimulation on intracortical excitability in human subjects
T. Wu, M. Sommer, F. Tergau, W. Paulus (Germany) 37

Effect of noradrenergic denervation of the amygdala upon recovery after sleep deprivation in the rat
C. Charifi, L. Paut-Pagano, G. Debilly, R. Cespuglio, M. Jouvet, J.-L. Valatx (France) 41

Ginsenosides inhibit capsaicin-activated channel in rat sensory neurons
J. Hahn, S.Y. Nah, J.-J. Nah, D.-Y. Uhm, S. Chung (South Korea) 45

Motion sickness occurrence does not correlate with nystagmus characteristics
G. Quarck, O. Etard, M. Oreel, P. Denise (France) 49

Voltage- and γ-aminobutyric acid-activated membrane currents in the human medulloblastoma cell line MHH-MED-3
C. Codina, R. Kraft, T. Pietsch, M. Prinz, C. Steinhäuser, J. Cervós-Navarro, S. Patt (Germany, Switzerland, Spain) 53

Neomycin blocks substance P-induced calcium entry in cultured rat spinal cord neurons
Z.-S. Zhou, Y.-S. Shu, Z.-Q. Zhao (People's Republic of China) 57

Experimentally induced attenuation of neuropeptide-Y gene expression in transgenic mice increases mortality rate following seizures
S. DePrato Primeaux, P.V. Holmes, R.J. Martin, R.G. Dean, G.L. Edwards (USA) 61

Full length α-synuclein is present in cerebrospinal fluid from Parkinson's disease and normal subjects
R. Borghi, R. Marchese, A. Negro, L. Marinelli, G. Forloni, D. Zaccheo, G. Abbruzzese, M. Tabaton (Italy) 65

Spatial working memory performance after high-frequency repetitive transcranial magnetic stimulation of the left and right posterior parietal cortex in humans
R.P.C. Kessels, A.A.L. d'Alfonso, A. Postma, E.H.F. de Haan (The Netherlands) 68

Co-distribution of NK2 tachykinin receptors and Substance P in nerve endings of guinea-pig ileum
M.-G. Vannucchi, L. Corsani, M.-S. Faussone-Pellegrini (Italy) 71

Influence of cognitive strategies on the pattern of cortical activation during mental subtraction. A functional imaging study in human subjects
P. Burbaud, O. Camus, D. Guehl, B. Bioulac, J.-M. Caillé, M.V. Allard (France) 76

Volume 287, no. 2

Olanzapine, quetiapine, and risperidone: long-term effects on monoamine transporters in rat forebrain
F.I. Tarazi, K. Zhang, R.J. Baldessarini (USA) 81
Denervation facilitates neuronal growth in the motor cortex of rats in the presence of behavioral demand
S.D. Bury, D.L. Adkins, J.T. Ishida, C.M. Kotzer, A.C. Eichhorn, T.A. Jones (USA) 85
Effects of vagal cooling on esophageal cardiovascular reflex responses in the rat
H. Dong, C.W. Loomis, D. Bieger (Canada) 89
Functional coupling of human right and left cortical motor areas demonstrated with partial coherence analysis
T. Mima, T. Matsuoka, M. Hallett (USA) 93
Suramin protects the murine motor nerves from the toxic effects of presynaptic Ca^{2+} channel inhibitors
M.-J. Lin, C.-T. Tan, S.-Y. Lee, S.-Y. Lin-Shiau (Taiwan) 97
Presence of unmyelinated axons in the lumbar ventral roots of the 129 mouse strain
G.A. Elder, V.L. Friedrich Jr., K. Chu, R.A. Lazzarini (USA) 101
Altered hippocampal expression of neuropeptide Y, somatostatin, and glutamate decarboxylase in Ihara's epileptic rats and spontaneously epileptic rats
Y. Takahashi, K. Tsunashima, M. Sadamatsu, C. Schwarzer, S. Amano, N. Ihara, M. Sasa, N. Kato, G. Sperk (Japan, Austria) 105
Human post-mortem striatal $\alpha4\beta2$ nicotinic acetylcholine receptor density in schizophrenia and Parkinson's syndrome
N. Durany, R. Zöchling, K.W. Boissl, W. Paulus, G. Ransmayr, T. Tatschner, W. Danielczyk, K. Jellinger, J. Deckert, P. Riederer (Spain, Germany, Austria) 109
Effects of naloxone on lactate, pyruvate metabolism and antioxidant enzyme activity in rat cerebral ischemia/reperfusion
C.-J. Chen, F.-C. Cheng, S.-L. Liao, W.-Y. Chen, N.-N. Lin, J.-S. Kuo (China) 113
Striatal glutamate release during novelty exposure-induced hyperactivity in olfactory bulbectomized rats
Y.-J. Ho, Y.-C. Chang, T.-M. Liu, M.-Y. Tai, C.-S. Wong, Y.-F. Tsai (China) 117
Microglial proliferation in the spinal cord of aged rats with a sciatic nerve injury
S.L. Stuesse, W.L.R. Cruce, J.A. Lovell, D.L. McBurney, T. Crisp (USA) 121
Changes in the number of nitric oxide-synthesizing neurones on both sides of a chronic transection of the rat spinal cord
P. Trudrung, U. Wirth, S. Mense (Germany) 125
M_2/M_4-muscarinic receptors mediate automodulation of acetylcholine outflow from mouse cortex
L. Iannazzo, H. Majewski (Australia) 129
Neuropsychological evidence that somatic stimuli are spatially coded according to multiple frames of reference in a stroke patient with tactile extinction
M. Tinazzi, G. Ferrari, M. Zampini, S.M. Aglioti (Italy) 133
A computer simulation of recurrent, excitatory networks of sensory neurons of the gut in guinea-pig
E.A. Thomas, P.P. Bertrand, J.C. Bornstein (Australia) 137
The $\alpha3$ subtype of the nicotinic acetylcholine receptor is expressed in airway-related neurons of the nucleus tractus solitarius, but is not essential for reflex bronchoconstriction in ferrets
D.G. Ferguson, M.A. Haxhiu, A.J. To, B. Erokwu, I.A. Dreshaj (USA) 141
Human rotation-mediated fetal mixed brain cell aggregate culture: characterization and *N*-methyl-D-aspartate toxicity
G.M. Hayes, R.M. Fox, M.L. Cuzner, G.E. Griffin (UK) 146
Long-term potentiation across rat cerebello-thalamic synapses in vitro
T.D. Aumann, S.J. Redman, M.K. Horne (Australia) 151
A functional magnetic resonance imaging study of the role of left posterior superior temporal gyrus in speech production: implications for the explanation of conduction aphasia
G. Hickok, P. Erhard, J. Kassubek, A.K. Helms-Tillery, S. Naeve-Velguth, J.P. Strupp, P.L. Strick, K. Ugurbil (USA, Germany) 156
The norbornenyl moiety of cyclothiazide determines the preference for flip-flop variants of AMPA receptor subunits
M. Kessler, G. Rogers, A. Arai (USA) 161

Volume 287, no. 3

Effect of frequency separation and stimulus rate on the mismatch negativity: an examination of the issue of refractoriness in humans
D. Deacon, H. Gomes, J.M. Nousak, W. Ritter, D. Javitt (USA) 167
Murine macrophages stimulated with central and peripheral nervous system myelin or purified myelin proteins release inflammatory products
C.S. Constantinescu, D.B.P. Goodman, B. Hilliard, M. Wysocka, J.A. Cohen (UK, USA) 171
Massive accumulation of M and H subunits of neurofilament proteins in spinal motor neurons of neurofilament deficient Japanese quail, Quv
I. Toyoshima, K. Kato, M. Sugawara, C. Wada, S. Okawa, M. Kobayashi, O. Masamune, S. Watanabe (Japan) 175

Bimodal effects of acetylcholine on synchronized calcium oscillation in rat cultured cortical neurons
T. Tojima, E. Ito (Japan) 179
Distribution of P2X purinoceptor clusters on individual rat dorsal root ganglion cells
J.A. Barden, M.R. Bennett (Australia) 183
Detection of tau phosphorylated at threonine 231 in cerebrospinal fluid of Alzheimer's disease patients
R. Kohnken, K. Buerger, R. Zinkowski, C. Miller, D. Kerkman, J. DeBernardis, J. Shen, H.-J. Möller, P. Davies, H. Hampel (USA, Germany) 187
Protective effects of the green tea polyphenol (−)-epigallocatechin gallate against hippocampal neuronal damage after transient global ischemia in gerbils
S.-R. Lee, S.-I. Suh, S.-P. Kim (South Korea) 191
Hemispheric lateralization at different levels of human auditory word processing: a functional magnetic resonance imaging study
R. Zahn, W. Huber, E. Drews, S. Erberich, T. Krings, K. Willmes, M. Schwarz (Germany) 195
Strong olfactory stimulation reduces seizure susceptibility in amygdala-kindled rats
U. Ebert, W. Löscher (Germany) 199
Morphology of somatosensory evoked fields: inter-hemispheric similarity as a parameter for physiological and pathological neural connectivity
F. Tecchio, P. Pasqualetti, V. Pizzella, G. Romani, P.M. Rossini (Italy) 203
Intracerebroventricular administration of brain-derived neurotrophic factor in adult rats affects analgesia and spontaneous behaviour but not memory retention in a Morris Water Maze task
F. Cirulli, A. Berry, E. Alleva (Italy) 207
Circulating levels of tumour necrosis factor-α and its soluble receptors are increased in the blood of patients with amyotrophic lateral sclerosis
M. Poloni, D. Facchetti, R. Mai, A. Micheli, L. Agnoletti, G. Francolini, G. Mora, C. Camana, L. Mazzini, T. Bachetti (Italy) 211
The stretch-inactivated channel, a vanilloid receptor variant, is expressed in small-diameter sensory neurons in the rat
M.A. Schumacher, B.E. Jong, S.L. Frey, S.P. Sudanagunta, N.F. Capra, J.D. Levine (USA) 215
Voltammetric and functional evidence that *N*-methyl-D-aspartate and substance P mediate rat vascular relaxation via nitrogen monoxide release
F. Crespi, C. Lazzarini, M. Andreoli, E. Vecchiato (Italy) 219
Ischemic tolerance conferred to cultured rat neurons by heat shock is not mediated by opening of adenosine triphosphate-sensitive potassium channels
A. Reshef, N.D. Capua, O. Sperling, E. Zoref-Shani (Israel) 223
Hyperventilation-induced human cerebral magnetic fields non-invasively monitored by multichannel 'direct current' magnetoencephalography
M. Carbon, G. Wübbeler, L. Trahms, G. Curio (Germany) 227
Cloning and characterization of a human brain Na^+-independent transporter for small neutral amino acids that transports D-serine with high affinity
J. Nakauchi, H. Matsuo, D.K. Kim, A. Goto, A. Chairoungdua, S.H. Cha, J. Inatomi, Y. Shiokawa, K. Yamaguchi, I. Saito, H. Endou, Y. Kanai (Japan) 231
The metabotropic glutamate receptor subtype mGluR 2/3 is located at extrasynaptic loci in rat spinal dorsal horn synapses
J.J. Azkue, J.M. Mateos, I. Elezgarai, R.V. Benítez, A. Osorio, J. Díez, A. Bilbao, A. Bidaurrazaga, P. Grandes (Spain) 236

Erratum 239
Author Index to Volume 287 240
Contents to Volume 287 244